

INFO

Product name	PC Monitor
Year	Y24

DISPLAY

Size (Inch)	17
Size (cm)	43.18 cm
Resolution	1280 x 1024
Panel Type	TN
Aspect Ratio	5:4
Pixel Pitch [mm]	0.264 x 0.264
Brightness (Min.) [cd/m²]	150 cd/m²
Brightness (Typ.) [cd/m²]	200 cd/m²
Color Gamut (Typ.)	NTSC 72%(CIE1931)
Color Depth (Number of Colors)	16.7M
Color Bit	8bit
Contrast Ratio (Min.)	600:1
Contrast Ratio (Typ.)	1000:1
Response Time	5ms (On/Off, Not Support OD)
Viewing Angle (CR≥10)	170°(R/L), 160°(U/D)
Surface Treatment	Anti-Glare

FEATURES

Picture Mode	Reader Mode
Reader Mode	YES
Smart Energy Saving	YES
OSD Language	18 countries (English, Germanic, French, Spanish, Italian, Swedish, Finnish, Portuguese, Portuguese(brazil), Polish, Russian, Greek, Ukrainian, Chinese, Traditional Chinese, Japanese, Korean, Hindi)
Others (Feature)	Single Point Touch

CONNECTIVITY

D-Sub	YES(1ea)
D-Sub (V Frequency)	56~75HZ
D-Sub (Max. Resolution at Hz)	1280 x 1024 at 75Hz
USB Upstream Port(USB-B)	1x USB2.0
[Location]	Vertical

POWER

Type	Built-in Power
AC Input	100~240V (50/60Hz)
DC Output	28W(19V,1.6A)
Power Consumption (On-Mode)	16W
Power Consumption (On-Mode) (ErP)	12W
Power Consumption (Sleep Mode)	Less than 0.3W

Power Consumption (DC Off)	Less than 0.3W
----------------------------	----------------

MECHANICAL

Borderless Design	Normal
Color (Front Cabinet)	Black - Non Glossy
Color (Middle Cabinet)	Black - Non Glossy
Color (Back Cover)	Black - Non Glossy
Color (Stand Body)	Black - Non Glossy
Color (Stand Base)	Black - Non Glossy
Display Position Adjustments	Tilt
Tilt	+15°(±3°)~66°(±3°)
Wall Mountable [mm]	75 x 75 mm

DIMENSIONS/WEIGHTS

Dimension with Stand (W x H x D) [mm]	370 x 95 x 315
Dimension without Stand (W x H x D) [mm]	370 x 62 x 315
Dimension in Shiping (W x H x D) [mm]	429×154×377
Weight with Stand [kg]	3.3
Weight in Shipping [kg]	4.5
Pallet Stuffing (20ft/40ft/40ft HC)	936/2028/2028

ACCESSORY

Power Cord	YES
------------	-----

Power Cord (Color/Length)	Black / 1.5m
D-Sub	YES
D-Sub (Color/Length)	Black / 1.5m
USB A to B	YES
USB A to B (Color/Length)	Black / 1.8m

STANDARD

TUV-Type	YES
CB	YES
UL (cUL)	YES
FCC-B	YES
Erp	YES
CE	YES
BIS (for India)	Depends on PDR
VCCI (for Japan)	Depends on PDR
BSMI (for Taiwan)	Depends on PDR
KC (for Rep. of Korea)	Depends on PDR
CCC (for China)	Depends on PDR
Others (Standard)	Win10