# **EB-L690U**



# Compact, sustainability–lead projector driving affordable installation flexibility and usage

The EB-L690U offers 6,500 lumens, WUXGA resolution, HDR and advanced installation features. It provides up to 30,000 hours of maintenance-free projection in Eco mode. Featuring a fixed centre lens with manual lens shift, 1.6x zoom and 10W speakers, it's ideal for professional applications and offers flexible control options via HDBaseT, LAN and wireless.

#### Powerful, vibrant visuals for any space

The EB-L690U delivers 6,500 lumens of brightness and WUXGA resolution with 3LCD technology, ensuring sharp, vibrant visuals. Its precise lens shift and built-in 10W speakers enhance performance, while the compact white chassis allows for easy installation and quiet operation. Ideal for lecture halls, auditoriums, training rooms, and other professional environments, it performs exceptionally well even in brightly lit spaces.

## Easy-to-setup, big impact

With flexible installation options including a standard throw ratio of 1.35–2.2:1 and 1.6x optical zoom, the EB-L690U can project images up to 500 inches. Advanced geometry correction and the optional ELPEC01 camera, combined with the Epson Projector Professional Tool, enable quick, straightforward setup and calibration - streamlining advanced installation for any space.

# Smart control for seamless experience

The EB-L690U enhances usability with NFC for easy large-scale rollouts using the Epson Projector Config Tool. Its user-friendly OSD menu simplifies navigation, while Epson's EPMC cloud monitoring allows effortless remote management. Fully compatible with Crestron XiO Cloud, it offers centralised control. OTA firmware updates ensure the projector remains up-to-date, improving performance for a seamless experience.

#### Proven brand reliability

Engineered for long-lasting performance, the EB-L690U features fit-and-forget laser technology, backed by a 3-year warranty. It minimises maintenance needs, reduces downtime, and offers peace of mind with Epson's renowned after-sales support.

# Environmentally friendly design

Built with sustainability in mind, our projectors are manufactured using 100% renewable electricity<sup>2</sup> and packaged in 100% recyclable cardboard. With low maintenance and energy consumption and benefits from end-of-life recycling and energy recovery services across Europe.

#### DATASHEET / BROCHURE

















#### **KEY FEATURES**

#### Exceptional 6,500 lumens display with WUXGA resolution

Ideal for meeting rooms, lecture halls and more. This compact, budget-friendly laser projector delivers high-quality performance in any setting.

#### Compact design with scalable images up to 500"

The lightweight design simplifies transport and installation while offering scalable images up to 500" for maximum flexibility.

# • Effortless, flexible installation

With a fixed centre lens display, wide lens shift, and advanced features, setup is easy and adaptable to any environment.

#### Quiet operation

Enjoy high-performance projector with a low noise level of 25dB in Eco mode, ensuring a quiet, focused environment for presentations and meetings.

#### Instant connectivity with Apple AirPlay 2 and Miracast<sup>1</sup>

Seamlessly share content from laptops, tablets, and smartphones - perfect for BYOD setups and collaborative environments.



#### PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System 3LCD Technology, RGB liquid crystal shutter

LCD Panel 0.67 inch with C2 Fine

IMAGE

Color Light Output 6,500 Lumen- 4,550 Lumen (economy) In accordance with IDMS15.4

White Light Output 6,500 Lumen - 4,550 Lumen (economy) In accordance with ISO 21118:2020

Resolution WUXGA Aspect Ratio 16:10

Contrast Ratio Over 5,000,000 : 1

Light source Lase

Laser Light source 20,000 hours Durability High, 30,000 hours Durability Eco

Keystone Correction Manual vertical: ±30 °, Manual horizontal ±30 °

Colour Video Processing 10 Bits

Colour Reproduction Upto 1.07 billion colours

OPTICAL

Throw Ratio 1.35 - 2.20:1
Zoom Manual, Factor:1 - 1.6

Lens Optical

Lens Shift Manual - Vertical ±50 %, horizontal ±20 %

Screen Size 50 inches - 500 inches
Projection Distance Wide 1.4 m - 14.8 m
Projection Distance Tele 2.4 m - 23.8 m
Projection Distance Wide/Tele 1.44 m - 23.84 m
Projection Lens F Number 1.5 - 1.7
Projection Lens Focal Length 20 mm - 31.8 mm
Projection Lens Focus Manual

CONNECTIVITY

Interfaces USB 2.0-A (2x), USB 2.0 Type B (Service Only), RS-232C, Ethernet interface (100 Base-TX / 10

 ${\it Base-T), Wireless \ LAN \ IEEE \ 802.11a/b/g/n/ac, \ HDMI \ out, \ HDBaseT, \ Miracast, \ Jack \ plug \ out,}$ 

HDMI (HDCP 2.3) (2x), Near Field Communication (NFC), Apple AirPlay 2

Epson iProjection App Ad-Hoc / Infrastructure

Network Protocol HTTPS, SNMP, ESC/VP.net, PJLink

ADVANCED FEATURES

Security Kensington lock, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock,

Password protection

2D Colour Modes Dynamic, Natural, Cinema, Presentation, DICOM SIM

Other features 21:9 aspect ratio support, A/V mute, Auto Power On, Built-in speaker, Customizable user logo,

Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, JPEG Viewer, Network projection, OSD copy function, PC Free, Point correction, Quick Corner, Schedule Function, Screen Mirroring, Split-Screen-Function, Ultra-wide display (16:6), Web

Control, Web Remote, Wireless LAN capable, iProjection App

Video Color Modes Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT709

Projector control via: Crestron Integrated Partner, Extron XTP, AMX Device Discovery

#### **EB-L690U**

#### WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- User guide
- Warranty document
- Quick Start Guide



#### PRODUCT SPECIFICATIONS

**GENERAL** 

Power consumption 336 Watt (Normal On-Mode), 233 Watt (Eco On-Mode), 399 Watt (Normal Peak-mode), 295

Watt (Eco Peak-Mode), 0.4 Watt (Energy saving standby)

Supply Voltage AC 100 V - 240 V, 50 Hz - 60 Hz

Product dimensions 440 x 340 x 138 mm (Width x Depth x Height)

Product weight 8.2 kg

Noise Level Normal:32 dB (A) - Economy:25 dB (A)

Supported Temperature Storage -10 $^{\circ}$  C - 60 $^{\circ}$  C

Supported Humidity Operation 20% - 80%, Storage 10% - 90%

Options Air filter, Camera module, Ceiling mount, Document camera, External Speaker, HDBaseT

Transmitter, Safety wire set, Suspension adapter, WP System - ELPWP20

Loudspeaker 10 Watt

Room Type / Application Large Meeting Room/Boardroom, Auditorium, Meeting room / Classroom, Projection Mapping,

Signage / Retail, Visitor Attraction

Positioning Ceiling Mounted, Desktop

Colour White

TCO Certified For further information relating to TCO Certified please visit

https://tcocertified.com/files/certification/Information-document-for-end-users.pdf

OTHER

Warranty 36 months Carry in

Optional warranty extension available

#### **EB-L690U**

### WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- User guide
- Warranty document
- Quick Start Guide



#### **OPTIONAL ACCESSORIES**

- Cable Cover ELPCC07W-White L6/7/89x Series V12H003AP0
- Cable Cover ELPCC07B-Black L6/7/89x Series V12H003AQ0
- Air Filter ELPAF65 L6/7/89x Series V13H134AF0
- Ceiling Mount (White) ELPMB22 V12H003B22
- Ceiling Mount (Low profile) ELPMB30 V12H526040
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Ceiling Pipe (450mm) ELPFP13 V12H003P13
- Safety Wire ELPWR01 V12H003W01
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA

#### LOGISTICS INFORMATION

SKU	V11HB29040
EAN code	8715946737980
Country of Origin	Philippines
Layer	2 Units

#### Wireless Presentation Systems

• Epson ELPWP20 - Wireless Presentation System V12HA42040

#### Visualizers

- ELPDC07
  - V12H759040
- ELPDC13 V12H757040
- ELPDC21
- V12H758040
- ELPDC30
  - V12HB09080







\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

of Ireland 01 450 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway 1. Apple and AirPlay are trademarks of Apple Inc., +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min)

. Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

registered in the U.S. and other countries and regions.
2. Epson has achieved 100% renewable electricity at all Epson group owned sites worldwide.

